



View Section: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

DAP INC

DURABOND D-3001 ACRYLIC COVE BASE **ADHESIVE**

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS Name: DURABOND D-3001 ACRYLIC COVE BASE ADHESIVE

Manufacturer Name: DAP INC

Address:

Box: 277

City: DAYTON

State: OH

Zip:45401-0277

Country:US

Business Phone: 800-543-3840;513-667-4461

For information in North America, call: 800-543-3840;513-667-4461

Health Phone: 800-543-3840;513-667-4461

Manufacturer MSDS Creation Date:

06/26/1990

To Top of page

SECTION 2: COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Percent	
MINERAL SPIRITS	64742-88-7	<5	

OSHA PEL TWA: 100 PPM (MFR) ACGIH TLV TWA: 100 PPM (MFR)

ACGIH STEL/Ceiling: N/P

Comments:

Other REC Limits: N/K; Ozone Depleting Chemical: N;

Chemical Name	CAS#	Percent	
ETHYLENE GLYCOL	107-21-1	⊲	

RTECS:

KW2975000

OSHA PEL TWA: 50 PPM, C ACGIH TLV TWA: 50 PPM, C ACGIH STEL/Ceiling: N/P

Comments:

Other REC Limits: N/K; EPA Rpt Qty: 1 LB; DOT Rpt Qty: 1 LB; Ozone Depleting

Chemical: N;

Chemical Name	Percent	
VOLATILE ORGANIC	N/K	
COMPOUNL'S: LESS WATER		
EXEMPT SOLVENTS		
(G/LITER); 143.		

RTECS:

999999VO

OSHA PEL TWA: NOT APPLICABLE ACGIH TLV TWA: NOT APPLICABLE

ACGIH STEL/Ceiling: N/P

Comments:

Other REC Limits: N/K;

Chemical Name	Percent	
VOLATILE ORGANIC	N/K	
COMPOUNDS: 93 G/LITER		

RTECS:

999999VO

OSHA PEL TWA: NOT APPLICABLE ACGIH TLV TWA: NOT APPLICABLE

ACGIH STEL/Ceiling: N/P

Comments:

Other REC Limits: N/K;

To Top of page

SECTION 3: HAZARDS IDENTIFICATION

Applies to all Ingredients.:

Route of Exposure:

Inhalation: YES Skin: YES Ingestion: NO

Potential Health Effects:

ACUTE: MAY IRRITATE EYES, SKIN, NOSE AND RESPIRATORY TRACT. CHRONIC: INGESTION OF ETHYLENE GLYCOL IN EXCESS MAY LEAD TO RESPIRATORY AND CARDIAC FAILURE, AND KIDNEY AND LIVER DAMAGE.

Carcinogenicity:

NOT RELEVANT

OSHA Designation: NO NTP Designation: NO

ivii pengiladon, ivo

IARC Designation: NO

Signs/Symptoms:

SEE HEALTH HAZARDS.

Aggravation of Pre-Existing Conditions: NONE KNOWN.

LD 50 LC 50 Mixture

NONE SPECIFIED BY MANUFACTURER.

To Top of page

SECTION 4: FIRST AID MEASURES

First Aid

EYE: FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MIN.CONTACT PHYS IMMEDIATELY. SKIN: WASH WITH SOAP AND WATER. INHAL: REMOVE TO FRESH AIR. CONTACT PHYSICIAN IMMEDIATELY. INGEST: DO NOT INDUCE VO MIT. CONTACT PHYS/REGIONAL POISON CONTROL CENTER IMMEDIATELY.

To Top of page

SECTION 5: FIRE FIGHTING MEASURES

Flash Point:

NONE

Flash Point Method:

SCC

Upper Flammable or Explosive Limit: N/A Lower Flammable or Explosive Limit: N/A

Auto Ignition Temperature: N/A

Extinguishing Media:

FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Instructions:

WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N). USE WATER SPRAY TO COOL EXPOSED SURFACES.

Unusual Fire Hazards:

NONE KNOWN.

To Top of page

SECTION 6: ACCIDENTAL RELEASE MEASURES

Leak Response:

USE ABSORBENT MATERIAL OR SCRAPE UP DRIED MATERIAL AND PLACE INTO CONTAINERS.

Other Precautions:

INTENTIONAL MISUSE BY DELIB CONCENTRATING & INHALING VAPORS MAY BE HARMFUL/FATAL.

Neutralizing Agent

NONE SPECIFIED BY MANUFACTURER.

To Top of page

SECTION 7: HANDLING and STORAGE

Handling:

KEEP CONTRS TIGHTLY CLSD WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN. KEEP CONTAINERS FROM EXCESSIVE HEAT AND FREEZING.

To Top of page

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

Ventilation System:

PROVIDE SUFFICIENT MECH VENT (LOC/GEN EXHAUST) TO MAINTAIN EXPOS BELOW PEL & TLV. VAPS ARE HVR/AIR & WILL (SUPP DATA)

Hand Protection Description:

IMPERVIOUS GLOVES (FP N).

Eye/Face Protection:

CHEMICAL WORKERS GOGGLES (FP N).

Respiratory Protection:

NOT REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Other Protective:

NONE SPECIFIED BY MANUFACTURER.

Other:

VENT: COLLECT IN LOW AREAS. CHECK LOW AREAS (BASEMENTS, SUMPS, ETC,) BEFORE ENTERING.

Work Hygienic Practices

WASH CONTAMINATED CLOTHING BEFORE REUSE.

To Top of page

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State/Appearance: OFF-WHITE PASTE WITH SWEET ODOR. pH: N/K Decomposition Temperature: N/K Vapor Pressure: 17.5 Vapor Density: >1 Boiling Point: 212F,100C Melting Point: N/K Solubility In Water: N/K Specific Gravity: 1.46(H*20=1)**Evaporation Point:** <1(N-BUTYL ACETATE=1) Percent Volatile: 40-55 Viscosity: N/P Other: Corrosion Rate: N/K HCC N1

To Top of page

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:

YES

Conditions to Avoid:

EXCESSIVE HEAT AND FREEZING.

Incompatibilities with Other Materials:

STRONG OXIDIZERS AND CAUSTICS.

Hazardous Polymerization:

NO

Hazardous Decomposition Products:

NORMAL COMBUSTION PRODUCTS, I.E. OXIDES OF CARBON, OXIDES OF NITROGEN.

Conditions To Avoid Polymerization

NOT RELEVANT

To Top of page

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological Paragraph:

N/P

To Top of page

SECTION 12: ECOLOGICAL INFORMATION

Ecological Paragraph:

N/P

To Top of page

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:

DISPOSE OF ACCORDING TO FEDERAL, STATE AND LOCAL STANDARDS. DO NOT REUSE EMPTY CONTAINERS.

To Top of page

SECTION 14: TRANSPORT INFORMATION

Transportation	Information:
N/P	

To Top of page

SECTION 15: REGULATORY INFORMATION

Applies to all ingredients:

SARA:

N/P

US Federal:

N/P

State:

N/P

To Top of page

SECTION 16: ADDITIONAL INFORMATION

MSDS Author:

N/P

Disclaimer:

Please note that although the information, opinions and recommendations contained in these Material Safety Data Sheets are compiled from sources believed to be reliable, we accept no responsibility for the accuracy, sufficiency, or reliability or for any loss or injury resulting from the use of the information. Newly discovered hazards are frequent and this information may not be completely up to date.

Other Information

N/P

Copyright@ 1996-2002 Actio Software Corporation. All Rights Reserved.