nc 70465-

Material Safety Data Sheet
May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

AQUASONIC® 100 ULTRASOUND TRA	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.					
Section I			-			
Manufacturer's Name	Emergency Telephone N	Emergency Telephone Number				
PARKER LABORATORIES, INC.	Tolophono Number for Ir					
Address (Number, Street, City, State and ZIP Cod	е)		Telephone Number for Information			
286 ELDRIDGE ROAD	(973) 276-95 Date Prepared	(973) 276-9500 Date Prepared				
FAIRFIELD, NJ 07004	SEPTEMBER 2000 Signature of Preparer (optional)					
Section II – Hazardous Ingredients/Id	dentity Information	1				
Hazardous Components (Specific Chemical Ident	OSHA PEL ACGIH TLV	Other Limits Recommended	% (optional)			
NONE	in the second second					
			(AUX)(1-10			
The second secon				401-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		

Section III – Physical/Chemical Char	acteristics					
		Specific Gravity (H ² O = 1		1.08		
Boiling Point	acteristics N/D N/D	Specific Gravity (H ² O = 1 Melting Point	1)	1.08 N/D		
Boiling Point Vapor Pressure (mm Hg.)	N/D	Melting Point Evaporation Rate	1)			
Boiling Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1)	N/D =	Melting Point		N/D		
Boiling Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) Solubility in Water SOLUBLE	N/D N/D N/D	Melting Point Evaporation Rate (Butyl Acetate = 1)		N/D		
Boiling Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) Solubility in Water SOLUBLE Appearance and Odor VISCOUS, CLEAR BLUE, AQUE	N/D N/D N/D EOUS GEL, SLIGHT FRAC	Melting Point Evaporation Rate (Butyl Acetate = 1)		N/D		
Boiling Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) Solubility in Water SOLUBLE Appearance and Odor VISCOUS, CLEAR BLUE, AQUE	N/D N/D N/D EOUS GEL, SLIGHT FRAC	Melting Point Evaporation Rate (Butyl Acetate = 1)	LEL N/A	N/D		
Boiling Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) Solubility in Water SOLUBLE Appearance and Odor VISCOUS, CLEAR BLUE, AQUE Section IV – Fire and Explosion Hazard Flash Point (Method Used) NON-FLAMMABLE	N/D N/D N/D EOUS GEL, SLIGHT FRAC	Melting Point Evaporation Rate (Butyl Acetate = 1) GRANCE Flammable Limits N/A	LEL	N/D N/D		
Appearance and Odor VISCOUS, CLEAR BLUE, AQUE Section IV – Fire and Explosion Hazard Flash Point (Method Used) NON-FLAMMABLE Extinguishing Media	N/D N/D N/D EOUS GEL, SLIGHT FRAC	Melting Point Evaporation Rate (Butyl Acetate = 1) GRANCE Flammable Limits N/A	LEL	N/D N/D		

Section V - R	eactivity Data				60.07.20		
Stability	Unstable		Conditions to Avoid	NONE			
	Stable	х					
Incompatibility (/	Materials to Avoid)						
Hazardous Deco	mposition or Bypro	oducts	NONE				
Hazardous Polymerization	May Occur		Conditions to Avoid	NONE			
	Will Not Occur	X					
Section VI - H	lealth Hazard D	ata					
Route(s) of Entry: Inhalation?				Skin?` NO	Inge YES	estion?	
Health Hazards (Acute and Chronic,	V-					
Carcinogenicity:		NTP?	ne velve	IARC	Monographs?		OSHA Regulated?
		NO		N		N	NO
Signs and Sympt	oms of Exposure	NOT ARRI	IOADI E				
		NOT APPL	ICABLE				
Medical Condition Generally Aggrav		NONE KNO	OWN				
Emergency and E	irst Aid Procedure	s .					
Emergency und r			JSH WITH WATER				
Section VII - F	recautions for	Safe Hand	ling and Use		8		
Steps to Be Taker	n in Case Material I	s Released o		DINO OO	MDOUND, MOD	ADEA 14/1711 11/475D	
			MIX WITH SWEE	PING CO	MPOUND: MOP	AREA WITH WATER	<u> </u>
Waste Disposal M	othod	EOU OW A	LL FEDERAL, STATE ANI	OLOCAL	DECLII ATIONS I	TOP NON HAZARDO	NIC WASTE DISPOSAL
Waste Disposal III	emou	TOLLOWA	LETEDLIAL, STATE AND	LOUAL	NEGOLATIONS I	-OK NON-HAZAKDO	US WAS TE DISPOSAL.
Precautions to Re	Taken in Handling	and Storing	NO SP	ECIAL DD	ECAUTIONS RE	OLUBED	
Trecautions to be	Taken in Handing	and Storing	NO GF	LOIALTI	ECAUTIONS RE	QUINED	
Other Precautions	SUPPE	RY IF SPILLE	D ON FLOOR				
- Tiller i Todatione	, OEIITE	VI II OTTECE	2011/2001				
Section VIII – (Control Measur	es					
Respiratory Prote	ction (Specify Type	e) N	OT APPLICABLE				
Ventilation	Local Exhaust	N	/A		Special	N/A	A-14
	Mechanical (Gene	eral) N	/A		Other	N/A	
Protective Gloves		N	/A	Eye Pr	otection	N/A	
Other Protective C	lothing or Equipm	ent N	/A				
Work/Hygienic Pra N/D – NOT DETER N/A – NOT APPLIC	MINED	N/A AILABLE		Page 2		☆ U .	S.G.P.O.: 1986-491-529/45775