

Fire Hazard **National Fire Hazardous Material** Health 3 **Protection Information System Fire Hazard** $\mathbf{0}$ Health Reactivity Association (HMIS) Reactivity 0 (NFPA) **Specific Hazard**

Protective Clothing





Emergency Red. Liquid. See Section 9.

Overview DANGER. CORROSIVE.

DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS. HARMFUL OR FATAL IF SWALLOWED.

Section 1. Chemical Product and Company Identification				
Product Name	GO-GETTER SC (SUPERCONCENTRATE)		Code	4309 & 4310 & 4971
Product Use	Industrial/Institutional: Cleaning product.		PMS#	407978
MSDS#	114310002		Validation Date	12/22/2003
U.S. Headquarter	s	Canadian Headquarters	Print Date	12/22/2003
JohnsonDiversey, Inc. 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.johnsondiversey.com		JohnsonDiversey - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131	Supersedes In Case of Emergency	No Previous Validation (800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS#	% by Weight	Exposure Limits	LC50/LD50
Polyacrylic Acid Monoethanolamine	141-43-5	1-5 10-30	Not available. OSHA (United States). TWA: 8 mg/m³ STEL: 15 mg/m³ ACGIH (United States). TWA: 7.5 mg/m³ STEL: 15 mg/m³ OSHA PEL (United States, 1993). Notes: TWA: 6 mg/m³ 8 hour(s). TWA: 3 ppm 8 hour(s)	Not available. ORAL (LD50): Acute: 1720 mg/kg [Rat]. 620 mg/kg [Guinea pig]. 700 mg/kg [Mouse]. DERMAL (LD50): Acute: 1018 mg/kg [Rabbit].
Alkoxylated Linear Alcohol Dipropylene Glycol Methyl Ether	68439-50-9 34590-94-8		Not available. OSHA (United States). Skin TWA: 600 mg/m³ 8 hour(s). STEL: 900 mg/m³ ACGIH (United States). Skin TWA: 606 mg/m³ STEL: 909 mg/m³ OSHA PEL (United States, 1993). Skin Notes: TWA: 600 mg/m³ 8 hour(s). TWA: 100 ppm 8 hour(s)	Not available. ORAL (LD50): Acute: 7500 mg/kg [Dog]. DERMAL (LD50): Acute: 9480 mg/kg [Rabbit].
Water	7732-18-5	30-60	Not available.	Not available.



Section 3. Hazards Identification		
Routes of Entry	Inhalation. Skin contact. Eye contact.	
Potential Acute Health	Effects	
1	Eyes Corrosive. May cause permanent damage including blindness.	
S	Skin Corrosive. May cause permanent damage.	
Inhala	ntion May cause irritation and corrosive effects to nose, throat and respiratory tract.	
Inges	ction Corrosive. May cause burns to mouth, throat, and stomach.	
Medical Conditions Aggravated by Overexposure:	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.	
Aggravated by	etc., may be more susceptible to irritating effects.	

Section 4. First Aid Measures		
Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.	
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.	
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.	
Ingestion	Do not induce vomiting! Immediately drink 1-2 glasses of water or milk. Never give anything by mouth to an unconscious person. Get medical attention immediately.	

Section 5. Fire Fighting Measures		
Flammability of the Product	None known.	
Flash Points	CLOSED CUP: >93°C (200°F).	
Products of Combustion	None known.	
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.	
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8.).	
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).	

Section 6. Accidental Release Measures	
Personal Precautions	Put on appropriate personal protective equipment (see Section 8.).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

Section 7. Handling and Storage		
Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.	
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.	



Section 8. Exposure Controls/Personal Protection Good general ventilation should be sufficient to control airborne levels. Respiratory protection **Engineering Controls** is not required if good ventilation is maintained. Personal Protection Eyes Chemical splash goggles. Hands Chemical resistant gloves. Includes: Neoprene gloves. Respiratory If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. Feet Protective footwear.

Body If major exposure is possible, wear suitable protective clothing and footwear.

Section 9. Physical and Chemical Properties

Physical State and

Liquid.

Appearance

Odor

Fragrance like.

Color Red.

>11 [Basic.] pН 1.03 Specific Gravity Solubility in water Complete.

Section 10. Stability and Reactivity Stability and Reactivity The product is stable. Conditions of Instability None known. Incompatibility with Reactive with acids. Various Substances Hazardous Decomposition When exposed to fire: Produces normal products of combustion. **Products**

Section 11. Toxicological Information

Acute toxicity

Corrosive.

Effects of Chronic

None known.

Exposure

Other Toxic Effects None known.

Hazardous Polymerization Will not occur.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information Undiluted product is regulated under environmental and transportation laws as a corrosive

waste. Dispose of according to all federal, state and local regulations



Section 14. Transport Information

DOT Classification

DOT Proper Shipping Name Please refer to the Bill of Lading/receiving documents for up to date shipping information.

TDG Classification

TDG Proper **Shipping Name TDG Class**

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

State New Jersey: Monoethanolamine, Dipropylene Glycol Methyl Ether

Massachusetts spill list: Monoethanolamine

Massachusetts RTK: Monoethanolamine, Dipropylene Glycol Methyl Ether Pennsylvania RTK: Monoethanolamine, Dipropylene Glycol Methyl Ether

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.

Information

Canadian Regulations

WHMIS Classification CLASS D-2B: Material causing other toxic effects (TOXIC).

CLASS E: Corrosive liquid.

WHMIS Icon





Registered Product Not applicable. Information

Chemical Inventory Status

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information

Other Special Considerations Not available.

Version

1.02

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.